

Shenzhen SoundMAGIC Technology Development Co.,LTD  
Manufacturing factory:  
3/floor building B, 2# Dongda Road, DongKeng Community,  
GongMing Office, GuangMing New District, Shenzhen, China.  
TEL:086-755-8831 6026 FAX:086-755-8831 6487  
[www.soundmagic.com.cn](http://www.soundmagic.com.cn)

Please note that all information in this catalogue are subject to change without prior notice.



SoundMAGIC is an exciting brand focusing on design and production of high quality electronic-acoustic products, whilst experiencing profitable growth over the past 3 years in our chosen International markets.

# About SoundMAGIC

Our founder Tony Xu started the SoundMAGIC operation in September, 2005 with a clear focus on developing & manufacturing high quality electronic-acoustic products. Within a few years we have grown from virtually an unknown brand to an organization that is fully accepted by most consumers in all the markets we serve. We are proud to have developed our own network of distribution channels and SoundMAGIC will continue to provide consumers with convenience when shopping for our products.

## Brand culture of SoundMAGIC

SoundMAGIC not only distributes products all over the world, but most importantly, builds trust relationship. Struggling positively, innovation, sticking to the commitment, trusting each other are brand culture of SoundMAGIC.

## The soul of SoundMAGIC

All SoundMAGIC products are designed under the strict guidance of our CEO, Tony Xu. Our product evolution reflects his character, brilliance and total passion for delivering the best sound.

## SoundMAGIC's Mission

We will design and deliver high performance-price competitive products to consumers to suit their daily lifestyle.

## SoundMAGIC's Ambition

To develop the SoundMAGIC brand into a name that is the first choice for our Partners and Consumers.

# Brand expanding

Tony Xu is the designer for our products, he also is the brand planner. He adheres to SoundMAGIC's brand line with his very strict attitude and dedication.

## Lighthouse effect

At the beginning of the brand, nobody knew SoundMAGIC, it was very hard to spread the brand. Sincerely thanks for the strong support and encouragement from Mr Qian of Zhuoyue, Mr Li of Jinsheng at the beginning of SoundMAGIC.

## Reputation effect

Gold cup, silver cup cannot be equal with customers' reputation. It is fundamental to make good products, don't make false advertisement, and don't let gunners to blow his own horn.

## Eager for quick success and instant benefits cannot make a brand

SoundMAGIC refuses to do OEM, keeps the uniqueness of SoundMAGIC, chasing the temporary success will be lose the long-term goals.

## Active promotion, strong-strong combination

Our clients, who has strong distribution ability in the local market, want to do OEM. At this time, Tony Xu will discuss and analysis the key elements of a successful brand, positively persuade client to be our SoundMAGIC's distributors, because SoundMAGIC will try their best on products planning and products development, keep going to push excellent products. The products that can be confirmed by the customers can win in the market competition, at last the brand can be success. The foreign clients of SoundMAGIC is the result of powerful combination.

## Stick to our commitment, responsible for consumers

All our products are stamped with a special serial number, in this way we can track who we sold the product to and when consumers require after-sales service, we can identify & direct them to the most convenient dealer in their area for repair or warranty services. This will be a key investment by us to build a long term trust relationship with our consumers & dealers worldwide.

# PRODUCT CATEGORY

## In-Ear Headphone

E10  
PL21  
PL11  
PL12  
PL13  
PL20  
ES10  
ES18

## Ear buds

EP10

## Sport Headphone

E 30  
PL30  
EH10  
EH11

## Balanced armature earphones

PL50  
PL60  
(COMING)

## Portable Headphone

P30  
P40

## Bluetooth

BT 20

## Full Size Headphone

HP100  
HP200  
HP300

## Wireless Headphone

WP10

## In-Ear headset

MP21  
E10M  
EH11M

## Portable Amplifier

A 10  
A 20 (COMING)

# E10 In-Ear Headphone NEW

Patent number : 201130044413.7



How will the sound appeal in such a magnificent appearance?

What HiFi: The No.1 home entertainment magazine gave the appraise to E10. Obtained the five-star evaluation by its highest cost performance, it is the worthiest purchasing products. At the same time, win the first place in the 2011 UK headphone safety purchasing guide of the ten products.



- ◆ The perfect combination of fashionable design and manufacturing technology
- ◆ Hi-Fi sound,full frequency perfect sound

## Specifications

Transducers : Dynamics,10mm,Neodymium  
Frequency range : 15Hz~22KHz  
DC resistance : 16±10%Ohms  
Sensitivity : 100±2dB at 1KHz/mW  
Cable length : 1.2m  
Connector : 3.5mm,I style plug gold-plated  
Weight : 11g



Accessory: S/M/L Silicone Eartips,Double Flange Silicone Eartips,Cable Clip,Travel Pouch  
Colors: Black-Golden Black-Red Purple-Black Silver-Black



## PL21 In-Ear Headphone

- ◆ Super comfortable in-ear fit
- ◆ Well balanced, accurate sound
- ◆ Robust metal construction
- ◆ Excellent noise isolation

### Specifications

Transducers :	Dynamics, 9mm, Neodymium
Frequency range :	15Hz ~ 22KHz
DC resistance :	12±10% Ohms
Sensitivity :	97±2dB at 1KHz/mW
Cable length :	1.2m
Connector :	3.5mm, L style plug gold-plated
Weight :	8g

PL11 is one of SoundMAGIC'S masterpieces, widely spreaded and kept fashion all the time. Not only in Asia, Europe, but also in the Americas, the customers like PL11 very much. English digital products magazine Stuff gave the highest five-star appraise to PL11. Because of the high cost performance, PL11 is recommended as the worthiest purchasing products.

- ◆ Powerful, punchy bass response
- ◆ Robust metal construction
- ◆ Comfortable, simple in-ear fit
- ◆ Excellent value

### Specifications

Transducers :	Dynamics, 9mm, Neodymium
Frequency range :	20Hz ~ 22KHz
DC resistance :	12±10% Ohms
Sensitivity :	100±2dB at 1KHz/mW
Cable length :	1.2m
Connector :	3.5mm, L style plug gold-plated
Weight :	10g

## PL11 In-Ear Headphone



## PL12 In-Ear Headphone



- ◆ Concise design, comfort wearing
- ◆ Real reduction, rich details, sweet voice, high frequency bright, three sections' balance, precise position
- ◆ Good noise isolation, about 20db enviromental noise reduction

### Specifications

Transducers :	Dynamics, 10mm, Neodymium
Frequency range :	20Hz ~ 22KHz
DC resistance :	12±10% Ohms
Sensitivity :	97±2dB at 1KHz/mW
Cable length :	1.2m
Connector :	3.5mm, L style plug gold-plated
Weight :	11g

## PL13 In-Ear Headphone

- ◆ Powerful bass, rich details, sweet voice, high frequency bright, three sections' balance, accurate reduction
- ◆ Comfort wearing
- ◆ Good design, good noise isolation, audition protection

### Specifications

Transducers :	Dynamics, 10mm, Neodymium
Frequency range :	15Hz ~ 22KHz
DC resistance :	16±10% Ohms
Sensitivity :	100±2dB at 1KHz/mW
Cable length :	1.2m
Connector :	3.5mm, L style plug gold-plated
Weight :	11g





# PL20 In-Ear Headphone

- ◆ All metal design, solid and durable
- ◆ Powerful bass, broad sound field pure sound, precise position
- ◆ Good noise isolation, about 20db enviromental noise reduction
- ◆ Applied to ipod, iphone and other MP3 players

## Specifications

Transducers :	Dynamics,9mm,Neodymium
Frequency range :	20Hz~22KHz
DC resistance :	12±10%Ohms
Sensitivity :	96±3dB at 1KHz/mW
Cable length :	1.2m
Connector :	3.5mm,L style plug gold-plated
Weight :	10g



# ES18 In-Ear Headphone

- ◆ Applied to MP3, CD, music phone etc
- ◆ Rich details, sweet voice, high frequency bright, three sections' balance, accurate reduction
- ◆ good noise isolation

## Specifications

Transducers :	Dynamics,10mm,Neodymium
Frequency range :	15Hz~22KHz
DC resistance :	16±10%Ohms
Sensitivity :	100±2dB at 1KHz/mW
Cable length :	1.2m
Connector :	3.5mm,I style plug gold-plated
Weight :	10g



# ES10 In-Ear Headphone

- ◆ Concise design, exquisite volume, comfort wearing
- ◆ Three sections' balance, rich details, precise position
- ◆ Good noise isolation

## Specifications

Transducers :	Dynamics,10mm,Neodymium
Frequency range :	15Hz~22KHz
DC resistance :	16±10%Ohms
Sensitivity :	100±2dB at 1KHz/mW
Cable length :	1.2m
Connector :	3.5mm,I style plug gold-plated
Weight :	10g



# EP10 Ear Buds

- ◆ Three sections' balance, reduction of real voice
- ◆ Applied to all kinds of portable MP3 players.
- ◆ Human body engineering design, comfort wearing.

## Specifications

Transducers :	Dynamics,15mm,Neodymium
Frequency range :	25Hz~22KHz
DC resistance :	16±10%Ohms
Sensitivity :	115±3dB at 1KHz/mW
Cable length :	1.2m
Connector :	3.5mm,L style plug gold-plated
Weight :	8g



E30

In-Ear HIFI- Headphone

NEW


Patent number : 201130044415.6



- ◆ Balanced, accurate sound with deep bass extension
- ◆ Outstanding tone reproduction
- ◆ Comfortable, ergonomic in-ear design
- ◆ Professional over ear cabling for best fit
- ◆ High level of noise isolation

Specifications

Transducers :	Dynamics,9mm,Neodymium
Frequency range :	15Hz~22KHz
DC resistance :	12±10%Ohms
Sensitivity :	94±2dB at 1KHz/mW
Cable length :	1.2m
Connector :	3.5mm,L style plug gold-plated
Weight :	10g



PL30

In-Ear HIFI- Headphone

Patent number: ZL200730172828.8



- ◆ Balanced, accurate sound and well defined bass
- ◆ Comfortable, ergonomic in-ear design
- ◆ Professional over ear cabling for best fit
- ◆ High level of noise isolation



Stuff Magazine Expert Evaluation  
of SoundMAGIC PL30 Earphones



"Their performance rivals designs three times the price."




"With cables that fit behind and over the ear, the SoundMAGIC's PL30s are prtty comfy. Overall, the sound quality is fine, with clear detail."



"Despite the low price tag, the sound quality of these headphones will satisfy all but the most discerning of listeners. They are a bargain!"



"These earphones provide a good amount of bang for the buck even though they are ridiculously cheap. If you are going for a cheap set of earhpones for use on the move these are definitely the ones for you!"



Specifications

Transducers :	Dynamics,9mm,Neodymium
Frequency range :	20Hz~22KHz
DC resistance :	12±10%Ohms
Sensitivity :	100±2dB at 1KHz/mW
Cable length :	1.2m
Connector :	3.5mm,L style plug gold-plated
Weight :	10g



## PL50 Balanced armature earphones

- ◆ Clean, accurate sound lets you hear every musical detail
- ◆ Comfortable, ergonomic in-ear fit design
- ◆ Professional over ear cabling for best fit
- ◆ Superb noise isolation means you can listen in peace



**Stuff**  
★★★★★  
SoundMAGIC PL50  
February 2010

### Specifications

Transducers : 6mm, MINI armature unite  
Frequency range : 15Hz~22KHz  
DC resistance : 25±10%Ohms  
Sensitivity : 109±2dB at 1KHz/mW  
Cable length : 1.2m  
Connector : 3.5mm,L style plug gold-plated  
Weight : 8g



"The performance rivals designs twice or three times the price."




TrustedReviews Evaluates SoundMAGIC PL50-Phenomenal  
"There's enough bass to be getting on with and it's backed up by a well-balanced mid-range and a lovely, clear top-end. Definition is very good across the range, and there's an almost holographic quality to the soundstage at times. In the words, I'm impressed."

## EH11 Clip on in-ear Sport Headphone **NEW**




- ◆ Built for sports and active lifestyles
- ◆ Powerful, bass enhanced sound with excellent musicality
- ◆ Clip-on design sits securely and comfortably on your ears
- ◆ Robust metal construction for everyday use



### Specifications

Transducers : Dynamics, 13.5mm, Neodymium  
Frequency range : 15Hz~22KHz  
DC resistance : 16±10%Ohms  
Sensitivity : 107±2dB at 1KHz/mW  
Cable length : 1.2m  
Connector : 3.5mm,L style plug gold-plated  
Weight : 19g



1, Rotate the slider to get more space  
2, Put earhook onto auricle  
3, Rotate the earphone into ear  
4, Pull up or down the slider to get the right position & adjust the soft earhook to fit your auricle.

# EH10


Clip on Half in-ear Sport Headphone

- ◆ Built for sports and active lifestyles
- ◆ Well balanced sound with excellent soundstage
- ◆ Clip-on design sits securely and comfortably on your ears
- ◆ Robust metal construction for everyday use



## Specifications

Transducers : Dynamics, 13.5mm, Neodymium  
Frequency range : 15Hz~22KHz  
DC resistance :  $16 \pm 10\%$  Ohms  
Sensitivity :  $112 \pm 3$  dB at 1KHz/mW  
Cable length : 1.2m  
Connector : 3.5mm, L style plug gold-plated  
Weight : 17.5g



- ① Rotate the slider to get more space, put earhook onto auricle.
- ② Rotate the earphone into ear.
- ③ Pull up or pull down the slider to get the right position.
- ④ Adjust the soft earhook to fit your auricle.

# P30

Portable Headphone

Patent number: 201130044416.0

**NEW**

- ◆ Unique portable mechanical design, easy to take
- ◆ High strength materials, strong and durable
- ◆ Senior leather ear set/ headset, comfort wearing
- ◆ Single outlet design, convenient and concise
- ◆ Hi-Fi sound, clear bass
- ◆ Good enviromental noise isolation



## Product details



## Specifications

Transducers : Dynamics, 40mm, Neodymium  
Frequency range : 20Hz~22KHz  
DC resistance :  $32 \pm 3.2$  Ohms  
Sensitivity :  $108 \pm 3$  dB at 1KHz/mW  
Cable length : 1.2m  
Connector : 3.5mm, L style plug gold-plated  
Weight : 121g



P40 Portable Headphone **NEW**

- ◆ Unique portable mechanical design, easy to take
- ◆ High strength materials, strong and durable
- ◆ Senior leather ear set/ headset, comfort wearing
- ◆ Single outlet design, convenient and concise
- ◆ Hi-Fi sound, quality bass
- ◆ Good enviromental noise isolation



Specifications

Transducers :	Dynamics,40mm,Neodymium
Frequency range :	20Hz~22KHz
DC resistance :	32±3.2Ohms
Sensitivity :	103±3dB at 1KHz/mW
Cable length :	1.2m
Connector :	3.5mm,L style plug gold-plated
Weight :	140g



You can get two kinds of Bass performance by rotating the roller

Option Color



BT20 Bluetooth **NEW**

Patent number:201130318461.0

- ◆ portable mechanical design, easy to take
- ◆ High strength materials, strong and durable
- ◆ Senior leather ear set/ headset, humanized design, comfort design
- ◆ Turn wiring in the accesories, can be used as cable headset
- ◆ Hi-Fi sound



Specifications:

Technology Standard:	BLUE TOOTH 2.0TM
Transducers:	Dynamics, 40mm , Neodymium
Wireless frequency:	2.4~2.4835GHZ
Transmission distance:	10m
DC resistance:	40Ω±4Ω
Input resistance:	50Ohms
Sensitivity:	100±3 dB at 1KHz/mW
Transmission power:	Class 2
Working current:	45mA
Continuous playing music:	7~8h
Conversation time:	8~10h
Standby time:	350h
Freq. Response:	20Hz~20khz
Audio Output:	CD sound quality, 44.1,48KHz 16 bit stereo
Power management mode:	Park, Sniff, Hold, Sleep
Operation/storage:	-20°C to 60°C
DSP	
aptX	



Product Views



Cable length:	1.2 m
Weight :	150 g
colors:	black white

# HP100

Full Size Headphone

NEW

Patent number:201130318449.x

- ◆ Reduction of real voice
- ◆ Portable design
- ◆ Large design of ear set, suitable for longtime wearing and good noise isolation
- ◆ All used senior materials, reveal top-grade temperament



## Specifications

Transducers :	Dynamics,53mm,Neodymium
Frequency range :	10Hz~30KHz
DC resistance :	32±10%Ohms
Sensitivity :	105±3dB at 1KHz/mW
Maximum input power :	100mW
Cable length :	1.2m
Connector :	3.5mm,L style plug gold-plated
Weight :	288g



Product details



# HP200

Full Size open Headphone

NEW

- ◆ Reduction of real voice, extraordinary quality reflect
- ◆ Folding design, facilitate for carry
- ◆ Large design of ear set, excellent noise isolation
- ◆ All used senior materials, reveal top-grade temperament



## Specifications

Transducers :	Dynamics,53mm,Neodymium
Frequency range :	15Hz~35KHz
DC resistance :	32±10%Ohms
Sensitivity :	108±3dB at 1KHz/mW
Maximum input power :	200mW
Cable length :	1.2m
Connector :	3.5mm,L style plug gold-plated
Weight :	320g



HP300 HI-END Headphone **NEW**



- ◆ Reduction of real voice
- ◆ Folding design, facilitate for carry
- ◆ Large design of ear set, suitable for longtime wearing and excellent noise isolation
- ◆ All used senior leather, comfort wearing
- ◆ The front panel using the noble ebony design and metal collocation together, reveal top-grade temperament



Specifications

Transducers :	Dynamics,53mm,Neodymium
Frequency range :	10Hz~30KHz
DC resistance :	30±10%Ohms
Sensitivity :	100±3dB at 1KHz/mW
Maximum input power :	200mW
Cable length :	1.2m
Connector :	3.5mm,L style plug gold-plated
Weight :	300g

WP10 Wireless Headphone **NEW**

- ◆ Three sections' balance, strong low frequency, precise sound, reduction of real voice
- ◆ Applied all kinds of Mp3 players and TVs
- ◆ Wireless access distance can be up to 50m
- ◆ Voice adjust, switches are in the cover of earset, convenient operation



Specifications

Transducers :	Dynamics,53mm, Neodymium	Transmitter Power:	18+- 1dBm
Frequency range :	10 Hz ~ 30 KHz	Receiver Sensitivity:	-78dBm
DC Resistance :	32 Ohms	Reception distance:	> 50 meters (without walls/ceiling)
Sensitivity :	105 ± 3dB at 1KHz/mW	Input format:	USB & Analogue signal
Maximum input power :	100 mW	Signal Sampling Rate:	16 bit/48KHz
Cable :	Detachable coil cable length 1.2 m	No RF signal mute function	
Connector :	Stereo 3.5 mm, angled gold-plated	RF VCC:	3.3V
Weight :	331 g	S/N :	96 dB
Working Frequency Range:	2406MHz - 2472MHz	THD:	-70dB
Working Channel Number:	34	Frequency response range:	20Hz - 20kHz
Modulation:	GFSK		



# MP21 In-Ear headset



- ◆ Super comfortable in-ear fit
- ◆ Well balanced, accurate sound
- ◆ iPod/iPhone compatible & MP3 ready
- ◆ Perfect for Skype or other VoIP connections



## Specifications

Transducers :	Dynamics,9mm,Neodymium
Frequency range :	15Hz ~ 22KHz
DC resistance :	12±10%Ohms
Sensitivity :	97±2dB at 1KHz/mW
Microphone frequency range :	20Hz~16KHz
Microphone sensitivity :	-58dB ±2dB/mW
Maximum input power :	20mW
Cable length :	1.2m
Connector :	3.5mm,I style plug gold-plated
Weight :	8g



# E10M In-Ear headset **NEW**

- ◆ Unique metal in-ear headphone design
- ◆ Powerful bass, rich details, three sections' balance
- ◆ Freely internet call by turn wiring
- ◆ Sparkling coulors collocation



## Specifications

Transducers :	Dynamics,10mm,Neodymium
Frequency range :	15Hz ~ 22KHz
DC resistance :	16±10%Ohms
Sensitivity :	100±2dB at 1KHz/mW
Microphone frequency range :	20Hz~16KHz
Microphone sensitivity :	-58dB ±2dB/mW
Maximum input power :	20mW
Cable length :	1.2m
Connector :	3.5mm,I style plug gold-plated
Weight :	12g



EH11M

Clip on in-ear Sport Headset

NEW



Made for  
iPod iPhone iPad

- ◆ Broad sound field, powerful bass, remarkable clarity
- ◆ Special acoustic catheter design
- ◆ Special hanging and in-ear design, comfort wearing
- ◆ Equipped with telephone button, suitable for iPhone
- ◆ Freely internet call by turn wiring
- ◆ Sparkling colours collocation, suitable for outdoor and sports

Specifications

Transducers :	Dynamics, 13.5mm, Neodymium
Frequency range :	15Hz ~ 22KHz
DC resistance :	16±10% Ohms
Sensitivity :	107±2dB at 1KHz/mW
Microphone frequency range :	20Hz~16KHz
Microphone sensitivity :	-58dB ±2dB/mW
Maximum input power :	20mW
Cable length :	1.2m
Connector :	3.5mm, I style plug gold-plated
Weight :	19g

A10

Portable Amplifier



- ◆ portable design, human body engineering volume control design
- ◆ Overweight bass switch, Hi-Fi amplifier
- ◆ Reduce power consumption
- ◆ Two people share music together
- ◆ Rich accessories, applied to iPod, iPhone, and other MP3 players

Specifications

Working voltage:	4.2 V	Maximum Output Power:	70mW (33Ω)
Working current:	100 mA	Frequency response :	0 ~ 1.5MHz
Continuous operating time :	>=10 hours	Stereo Balance:	<=1dB
Charging voltage :	5 V	Stereo Isolation:	>=100dB
Charging current:	500mA	Signal to Noise Ratio	>=106dB
Input impedance:	>=10K ohms	T.H.D	<=0.01% (at 1KHz, 33Ohms, 1MW)
Maximum input level :	-6dBV (RMS)	maximum gain :	8dB
Output load impedance :	16-300 ohms	VL control range:	-110 -- +8dB
Maximum output level:	1.6V (at 33ohms (RMS))	XB switch:	+4dB (at 50Hz)

# SoundMAGIC Earphones - Product Review

## E10: 2011 New In-Ear Sound isolating earphones

<http://www.macworld.co.uk/ipod-itunes/reviews/index.cfm?reviewid=3290566&olo=rss>  
<http://www.head-fi.org/forum/thread/559324/review-soundmagic-e10-e30-eh11-and-p30-new-magic>  
<http://www.hwupgrade.it/forum/showthread.php?t=2373438>  
<http://www.pocket-lint.com/review/5509/soundmagic-e10-in-ear-headphones-earphones-review>

## E30: 2011 New In-Ear Sound isolating earphones

[http://www.head-fi.org/forum/thread/478568/multi-iem-review-182-iems-compared-soundmagic-e30-blue-ever-blue-866b-added-7-06/3465#post\\_7589862](http://www.head-fi.org/forum/thread/478568/multi-iem-review-182-iems-compared-soundmagic-e30-blue-ever-blue-866b-added-7-06/3465#post_7589862)  
<http://www.head-fi.org/forum/thread/559324/review-soundmagic-e10-e30-eh11-and-p30-new-magic>  
P30: 2011 New portable headphones  
<http://www.head-fi.org/forum/thread/559324/review-soundmagic-e10-e30-eh11-and-p30-new-magic>  
<http://www.head-fi.org/forum/thread/433318/shootout-86-portable-headphones-reviewed-soundmagic-p30-sony-mdr-770lp-added-07-12>

## EH11: 2011 New clip on in-ear headphones

<http://www.head-fi.org/forum/thread/558030/come-out-and-play-soundmagic-eh11>  
<http://www.head-fi.org/forum/thread/559324/review-soundmagic-e10-e30-eh11-and-p30-new-magic>

## PL11: Super Bass Noise Isolating Earphones

<http://stuff.tv/Review/Soundmagic-PL11/>  
<http://blog.hifiheadphones.co.uk/2009/06/13/soundmagic-pl11-earphones-big-bass-and-high-end-clarity/>  
<http://www.trustedreviews.com/mp3/review/2009/08/09/SoundMAGIC-PL11-and-PL50-Earphones/p1>  
<http://community.whathifi.com/blogs/mp3/archive/2009/07/30/do-they-soundmagic-maybe-but-they-re-certainly-solid-value-for-money.aspx>  
[http://www.thinkdigit.com/Audio-Devices/SoundMagic-PL11-Ear-fully-Enchanting-Review\\_5280.html](http://www.thinkdigit.com/Audio-Devices/SoundMagic-PL11-Ear-fully-Enchanting-Review_5280.html)  
<http://technologyreviewsite.com/soundmagic-pl11-earphones-review/>

## PL30: Hi-Fi, professional Earphones

<http://www.head-fi.org/forums/f103/soundmagic-pl30-adjustable-bass-earphones-323413/> <http://www.goodgearguide.com.au/review/headphones/soundmagic/pl-30/275088> [http://mp4nation.net/catalog/index.php?main\\_page=product\\_info&products\\_id=258&zenid=2d7400c6990bac40f3b86fa7a8b49f3a](http://mp4nation.net/catalog/index.php?main_page=product_info&products_id=258&zenid=2d7400c6990bac40f3b86fa7a8b49f3a)  
<http://www.avforums.com/forums/headphones-headphone-amps/1055056-soundmagic-pl30-pl50-review.html>  
<http://community.whathifi.com/blogs/mp3/archive/2009/07/30/do-they-soundmagic-maybe-but-they-re-certainly-solid-value-for-money.aspx>  
<http://www.takebigg.com/audio-video/soundmagic-pl-30-review-the-best-budget-inearphones>  
<http://technologyreviewsite.com/soundmagic-pl30-earphones-review/>  
<http://fwd.channel5.com/gadgets/audio-video/hi-fi/headphones-headsets/soundmagic-pl30>

## PL50: Mini Balanced Armature Noise Isolating Earphones

<http://www.trustedreviews.com/mp3/review/2009/08/09/SoundMAGIC-PL11-and-PL50-Earphones/p1>  
<http://www.reproductormp3.net/reviews-de-foreros/review-soundmagic-pl50/> (In Spanish)  
<http://www.avforums.com/forums/headphones-headphone-amps/1055056-soundmagic-pl30-pl50-review.html>  
<http://www.head-fi.org/forums/f103/soundmagic-pl-50-released-received-reviewed-430612/>  
<http://www.head-fi.org/forums/f103/soundmagic-pl-50-review-432843/>  
<http://www.inearmatters.net/2009/06/review-soundmagic-pl-50.html>  
<http://www.head-fi.org/forums/f103/ck-presents-soundmagic-pl-50-review-comparisons-apple-ear-headphone-addiem-nuforce-ne-7m-445582/>  
<http://pclab.pl/art42498-51.html>

## MP21: Super Bass Earphones with Microphone for iPhone

<http://www.head-fi.org/forums/f103/soundmagic-mp21-pl21-438896/>  
<http://forums.vr-zone.com/singapore-marketplace-garage-sales/464455-half-the-price-twice-good-earphone-w-mic-iphone-2g-3g-3gs-mac-pc.html>  
<http://www.takebigg.com/audio-video/soundmagic-mp21-review>

## PL12:Noise Isolating Earphones Designed for Classical Music

<http://www.head-fi.org/forums/f103/soundmagic-pl12-review-awesome-mod-427027/>  
PL20: Super Bass Noise Isolating Earphones  
[http://mp4nation.net/catalog/index.php?main\\_page=product\\_reviews\\_info&products\\_id=260&reviews\\_id=63](http://mp4nation.net/catalog/index.php?main_page=product_reviews_info&products_id=260&reviews_id=63)  
PL21: Super Bass Noise Isolating Earphones  
<http://www.head-fi.org/forums/f103/soundmagic-pl21-first-impressions-review-444307/>

## EH10: Half in-ear Headphones

<http://www.head-fi.org/forum/thread/501216/review-of-soundmagic-eh10-half-in-ear-headphones>  
<http://www.head-fi.org/forum/thread/493383/my-review-of-the-soundmagic-eh10>  
<http://www.takebigg.com/audio-video/sound-magic-eh-10-review>

## A10: Portable Amplifier

<http://www.head-fi.org/forum/thread/535442/impression-soundmagic-a10-oriental-beauty>  
[http://www.pistonheads.com/gassing/topic.asp?h=0&f=202&t=902465&i=999999&nmt=Portable audio gear reviews](http://www.pistonheads.com/gassing/topic.asp?h=0&f=202&t=902465&i=999999&nmt=Portable%20audio%20gear%20reviews)  
<http://www.headfonia.com/cheap-n-good-soundmagic-a-10-portable-amplifier/>



SoundMAGIC products can be found in the following medias (including, not limited)



RoHs certificate



CE certificate




SoundMAGIC was registered worldwide





# Global coverage

Our products can be found in the following countries:



# Our future

- ◆ We will develop the high quality products continually.
- ◆ We will forge our core competitiveness continually.
- ◆ We will expand our sales network system & improve our management system progressively.
- ◆ We will build the good interaction & trust relationship with the consumers & our customers.
- ◆ We will insist on our brand positioning, forge SoundMAGIC to be a strong brand progressively.

we grow up with you together .....